

nox-crete®

chemical solutions to concrete problems

RELEASE AGENT #10

FORM RELEASE AGENT



Quality You
Can See,
PERFORMANCE
You Can
Trust

ARCHITECTURAL
CONCRETE
FINISHES



GREATLY
MINIMIZES
SURFACE VOIDS



NON-
STAINING



CLEAN
RELEASE



BENEFITS

- **Uniform Architectural Finish:** Produces uniformly white concrete surfaces ideal for architectural applications
- **Ideal For Use On:** Non-absorptive form surfaces such as steel, plastic, fiberglass, HDO, and PSF plywood
- **Sprayability:** Easily applied with a basic hand pump construction sprayer, even at extreme temperatures of -30°F (-34°C)
- **Fast Drying:** Dries quickly to help maintain efficient workflow
- **High Coverage Rates:** Low viscosity, chemically active formula allows for very high coverage rates, reducing application costs
- **Coating Friendly:** Doesn't affect bonding of paint or coatings
- **Rust Protection:** Contains a flash rust inhibitor to minimize rust formation between pours



nox-crete.com • 402-341-2080

FOLLOW US



**DEALING WITH
STAINING?**

**MAKE THE
SWITCH!**



ARCHITECTURAL RESULTS



EXCELLENT PRECAST USES



A FLAWLESS FINISH

Nox-Crete's Release Agent #10 (RA #10) reacts chemically with the alkalis in concrete to form a soapy film which allows trapped air and excess water to escape during vibration, minimizing surface voids and providing a smooth, uniform concrete finish.

APPLICATIONS

- Easily applied with common construction sprayers
- Coverage rates on steel, plastic and resin-coated wood forms is 2,500-3,000 sf/gal. (62-75 sm/L)
- Coverage rates on semi-absorptive form surfaces such as MDO is 1,000-1,500 sf/gal. (25-37 sm/L)
- Ideal for precast and commercial forming operations where forms see daily use or are subject to aggressive stripping schedules and where architectural concrete surface appearance is a primary objective
- Available in VOC-compliant versions to satisfy the air quality regulations for any project in the United States or Canada

PACKAGING

- 275 gallon (1,040 L) totes
- 55 gallon (208 L) drums
- 5 gallon (19 L) pails



SCAN FOR INFO

nox-crete.com • 402-341-2080

FOLLOW US

