

**Section 1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Product Form	Mixture
Trade Name	DYNAFLEX 502 COMPONENT B
Product Code	DY502B

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use Industrial. For professional use only.

**1.2.2 Uses Advised Against**

No additional information available

**1.3 Details of the supplier of the safety data sheet**

Manufacturer	Supplier
NOX-CRETE MANUFACTURING INC 1444 SOUTH 20 <sup>TH</sup> STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <a href="mailto:corporate@nox-crete.com">corporate@nox-crete.com</a> Web Site: <a href="http://www.nox-crete.com">www.nox-crete.com</a>	

**1.4 Emergency telephone number**

Emergency Number	Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887
------------------	--

**Section 2. Hazards identification****2.1 Classification of the substance or mixture**

Acute Tox. 4 (dermal)	H312
Skin Corr. 1B	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
Acute Tox. 4 (inhalation)	H332
Muta. 2	H341
Carc. 1	H350
STOT RE 1	H372
STOT RE 2	H373

Full text of H phrases see section 16

**Adverse physiochemical, human health and environmental effects**

No additional information available

**2.2 Label elements**

Hazard pictograms



Signal word

Danger

Hazard statements

H312 - Harmful in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H341 - Suspected of causing genetic defects  
H350 - May cause cancer  
H372 - Causes damage to lungs through prolonged or repeated exposure  
H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary statements****Prevention:**

P201- Obtain special instructions before use  
P202- Do not handle until all safety precautions have been read and understood.  
P233- Keep container tightly closed.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash exposed area's thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing should not be allowed out of the workplace.

**Response:**

P280 – Wear eye protection, protective clothing, protective gloves.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician  
P308+P313 - IF exposed or concerned: Get medical advice/attention  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362 - Take off contaminated clothing and wash before reuse.

**Storage:**

P403+P405+P235+P233 - Store locked up in a cool well-ventilated place. Keep container tightly closed.

**Disposal:**

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

None known

Full text of R, H and EUH phrases: see section 16

**Section 3. Composition / information on ingredients****3.1 Substances**

Not applicable

**3.2 Mixture**

Name	Product identifier	%
Epoxy resin hardener	Trade Secret	Trade Secret
Benzyl Alcohol	100-51-6	Trade Secret
Phenol	108-95-2	< 2.2
Crystalline Silica (Quartz)	14808-60-7	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

## Section 4. First aid measures

### 4.1 Description of first aid measures

#### First-aid measures general

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

#### First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

#### First-aid measures after skin contact

If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.

#### First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

#### First-aid measures after ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

### 4.2 Most important symptoms and effects, acute and delayed

#### Symptoms/injuries after inhalation

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

#### Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

#### Symptoms/injuries after eye contact

May cause eye irritation or injury

#### Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

### 4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

## Section 5. Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry chemical, foam, carbon dioxide

#### Unsuitable extinguishing media

Do not use heavy water stream

### 5.2 Special hazards arising from the substance or mixture

#### Reactivity

Thermal decomposition products may cause a health hazard.

### 5.3 Advice for firefighters

#### Firefighting instructions

Use water spray or fog to cool exposed containers.

#### Protective equipment for firefighters

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

#### Other information

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### General measures

Dike or impound spilled material. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup. Equip cleanup crew with proper protective equipment.

#### 6.11 Protective Equipment

#### 6.2 Environmental precautions

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

### 6.3 Methods and materials for containment and cleaning up

#### Methods for cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.

#### Hygiene measures

Wash contaminated clothing before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready for use.

#### Incompatible materials

Strong acids, Mineral acids, Sodium hypochlorite, Oxidizing agents, Peroxides and reactive metals (e.g. sodium, calcium, zinc etc.).

#### Storage temperature

Prevent exposure to freezing temperatures.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Benzyl Alcohol	TWA: 10 ppm 8 hours
Phenol	TWA: 5 ppm 8 hours
Crystalline Silica (Quartz)	TWA: .025 mg/m <sup>3</sup> (respirable dust) 8 hours

### 8.2 Exposure controls

#### Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations below specified TLV

#### Eye and face protection

Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.

#### Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

#### Respiratory protection

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

## Section 9. Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

Appearance	Black paste
Odor	Ammoniacal
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	>205 C (400 F)
Flash point	Not applicable
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	1.5 Kg per Liter    12.4 Lbs per Gallon
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	No data available

**Section 10. Stability and reactivity**

<b>10.1 Reactivity</b>	No additional information available
<b>10.2 Chemical stability</b>	Stable under normal conditions
<b>10.3 Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.
<b>10.4 Conditions to avoid</b>	Extreme high or low temperatures.
<b>10.5 Incompatible materials</b>	Strong acids, Mineral acids, Sodium hypochlorite, Oxidizing agents, Peroxides and reactive metals (e.g. sodium, calcium, zinc etc.).
<b>10.6 Hazardous decomposition products</b>	Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides and Aldehydes

**Section 11. Toxicology information****11.1 Information on toxicological effects**

<b>Acute toxicity</b>	No adverse effects expected under intended use.
<b>Irritation/Corrosion</b>	
<b>Skin</b>	May cause skin irritation
<b>Eyes</b>	May causes serious eye irritation and damage.
<b>Respiration or skin sensitization</b>	May cause respiratory irritation
<b>Germ cell mutagenicity</b>	Not classified
<b>Carcinogenicity</b>	
Prolonged inhalation of Respirable Crystalline Silica (quartz) dust may cause lung cancer. (IARC Group 1).	
<b>Reproductive toxicity</b>	Not classified
<b>Specific target organ toxicity</b>	
<b>Single exposure</b>	Not classified
<b>Repeated exposure</b>	Not classified
<b>Aspiration hazard</b>	Not classified

**Section 12. Ecological information**

<b>12.1 Ecotoxicity</b>	Not established
<b>12.2 Persistence and degradability</b>	Not established
<b>12.3 Bioaccumulative potential</b>	Not established
<b>12.4 Mobility in soil</b>	No additional information available
<b>12.5 Other adverse effects</b>	Avoid release to the environment

**SECTION 13. Disposal Considerations****13.1 Waste treatment methods**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

**SECTION 14. Transport information****In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA**

<b>14.1 UN number</b>	UN2735
<b>14.2 UN proper shipping name</b>	Amines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine)
<b>14.3 Transport hazard class(es)</b>	8
<b>14.4 Packing group</b>	III
<b>14.5 Environmental hazards</b>	No additional information available
<b>14.6 Special precautions for user</b>	
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No additional information available
<b>14.8 Transport in bulk according to CFR 49 173.15</b>	Not applicable

**SECTION 15. Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.2 USA Regulations****Section 313**

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.

CHEMICAL  
Phenol

CAS #	MAX WEIGHT %
108-95-2	2.2

**TSCA**

All ingredients are listed or exempted

**PROPOSITION 65**

**WARNING:** This product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size), which is known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)."

**15.1.3 Canada Regulations**

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR

**DSL****15.2 Chemical safety assessment**

All ingredients are listed or exempted  
A Chemical Safety Assessment has not been carried out.

**Section 16. Other information**

Date of issue	10-16-2018
Version	2.2
Number	97
Date of previous issue	5-29-2017
Preparer	Nox-Crete Manufacturing Inc.

### Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete Manufacturing's knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete Manufacturing to insure that this document is the most current available from Nox-Crete Manufacturing. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete Manufacturing urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

### **Full text of R, H and EUH phrases**

Acute Tox. 4 (dermal)	H312
Skin Corr. 1B	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
Acute Tox. 4 (inhalation)	H332
Muta. 2	H341
Carc. 1	H350
STOT RE 1	H372
STOT RE 2	H373

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H372 - Causes damage to lungs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

P201- Obtain special instructions before use

P202- Do not handle until all safety precautions have been read and understood.

P233- Keep container tightly closed.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 – Wear eye protection, protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

P308+P313 - IF exposed or concerned: Get medical advice/attention

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P403+P405+P235+P233 - Store locked up in a cool well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.