

CHEMBETON 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

 1.1
 Product identifier

 Product Form
 Mixture

 Trade Name
 CHEMBETON 450

 Product Code
 CH450

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Use
 Industrial. For professional use only.

 1.2.2
 Uses Advised Against

 No additional information available
 Industrial. For professional use only.

 1.3
 Details of the supplier of the safety data sheet

 Manufacturer
 Manufacturer

NOX-CRETE, INC. 1444 SOUTH 20TH STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <u>corporate@nox-crete.com</u> Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

H304 - May be fatal if swallowed and enters airways H317 – May cause an allergic skin reaction Asp. Tox. 1 Skin Sens 1

Full text of H phrases see section 16Adverse physiochemical, human health and environmental effectsNo additional information available2.2 Label elementsHazard pictograms



Signal word

Hazard statements

Precautionary statements

Prevention:

Danger

H304 - May be fatal if swallowed and enters airways H317 – May cause an allergic skin reaction

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P280 - Wear protective gloves/protective clothing/eye protection/face protection



CHEMBETON 450

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Response:

Storage: Disposal: P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P331 - Do NOT induce vomiting
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

None known

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

- 3.1 Substances
- Not applicable
- 3.2 Mixture

Name	Product identifier	%
Petroleum Distillates, Hydrotreated	Trade Secret	Trade Secret
Highly refined base oil	Trade Secret	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures

4.1 Description of first aid measures	
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.
4.2 Most important symptoms and effects	, acute and delayed
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may
	result in headache, nausea, drowsiness or dizziness.
Symptoms/injuries after skin contact	May cause skin irritation or burning sensation
Symptoms/injuries after eye contact	May cause eye irritation or injury



CHEMBETON 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the substa	ance or mixture
Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	Combustible Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures	Eliminate any ignition sources. Dike or impound spilled material. Take	
	proper precautions to ensure your own health and safety before	
	attempting spill control or cleanup.	
6.11 Protective Equipment	Equip cleanup crew with proper protective equipment.	
6.2 Environmental precautions	Prevent entry to sewers and public waters.	
	Notify authorities if liquid enters sewers or public waters.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth.	
	Collect into vapor tight containers and dispose of properly.	

Section 7. Handling and storage

Precautions for safe handling 7.1 Wash hands and other exposed areas with soap and water before Protective measures eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Hygiene measures Wash contaminated clothing before reuse. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready for use. Acids, prolonged contact with aluminum, brass, bronze, copper, lead, Incompatible materials tin, zinc or other alkali sensitive metals or alloys Storage temperature Store in a cool dry environment away from sources of ignition.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits



CHEMBETON 450

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist
Highly refined base oil	TWA: 5 mg/m3 8 hours as mist

8.2 Exposure controls

Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations
	below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent
	potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and
	boots as required to prevent skin contact. Wash exposed skin
	frequently with soap and water. Soiled clothing should be laundered
	before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the
	product mist or vapors. The use of an appropriate respirator is
	recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Clear to pale straw liquid
Odor	Mild
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	150 C (300 F)
Flash point	> 93 C (200 F)
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	0.856 Kg per Liter 7.14 Lbs per Gallon
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	Less than 450 g/l

Section 10. Stability and reactivity

10.1 Reactivity	No additional information available
10.2 Chemical stability	Stable under normal conditions
10.3 Possibility of hazardous reactions	Hazardous polymerization will not occur.
10.4 Conditions to avoid	Extreme high or low temperatures.
10.5 Incompatible materials	Strong acids, alkalies and oxidizers
10.6 Hazardous decomposition products	Carbon Monoxide, Carbon Dioxide

Section 11. Toxicology information

11.1 Information on toxicological effects Acute toxicity

No adverse effects expected under intended use.



CHEMBETON 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Irritation/Corrosion Skin Eyes	May cause skin irritation May causes serious eye irritation and damage.
Respiration or skin sensitization	May cause respiratory irritation
Germ cell mutagenicity	No data available
Carcinogenicity	No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC)
Reproductive toxicity	No data available
Specific target organ toxicity	
Single exposure	No data available
Repeated exposure	No data available
Aspiration hazard	May be fatal if swallowed and enters airways

Section 12. Ecological information

<u>12.1 Ecotoxicity</u>	
12.2 Persistence and degradability	
12.3 Bioaccumulative potential	
12.4 Mobility in soil	
12.5 Other adverse effects	

Not established Not established Not established No additional information available Avoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with DOT 14.1 UN number	
Under 119 US gallons, single container	Not dangerous goods in sense of transport regulations.
Over 119 US gallons, single container	UN1268
14.2 UN proper shipping name	Petroleum Distillates, N.O.S.
14.3 Transport hazard class(es)	
Under 119 US gallons, single container	Not applicable
Over 119 US gallons, single container	3
14.4 Packing group	
Under 119 US gallons, single container	Not applicable
Over 119 US gallons, single container	PG III
In accordance with ADR / RID / ADNR / IMDG	/ ICAO / IATA
14.1 UN number	Not applicable
	Not applicable
14.2 UN proper shipping name	Not applicable
	Not applicable Not applicable
14.2 UN proper shipping name	Not applicable Not applicable Not applicable
14.2 UN proper shipping name 14.3 Transport hazard class(es)	Not applicable Not applicable
14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	Not applicable Not applicable Not applicable
14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards	Not applicable Not applicable Not applicable No additional information available

SECTION 15. Regulatory information



CHEMBETON 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations	
Section 313 TSCA	Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted
PROPOSITION 65	Not for sale in California
15.1.3 Canada Regulations	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR
DSL 45.9 Chamical active accomment	All ingredients are listed or exempted
15.2 Chemical safety assessment	A Chemical Safety Assessment has not been carried out.
Section 16. Other information	
Date of issue	5-23-2023
Version	3.0
Number	619

10-13-2022

Nox-Crete, Inc.

Preparer Reference Documentation

Date of previous issue

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buver's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

H304 - May be fatal if swallowed and enters airways H317 – May cause an allergic skin reaction Asp. Tox. 1 Skin Sens 1

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water



CHEMBETON 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

P331 - Do NOT induce vomiting

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.