

DRYCAST RELEASE

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

#### Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier **Product Form** Trade Name **Product Code** Use 1.2.2 Uses Advised Against No additional information available 1.3 Details of the supplier of the safety data sheet Manufacturer

Mixture DRYCAST RELEASE DCR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial. For professional use only.

NOX-CRETE, INC. 1444 SOUTH 20<sup>TH</sup> STREET OMAHA, NE 68108 Tel: 402-341-2080

Fax: 402-341-9752 E-Mail: corporate@nox-crete.com

Web Site: www.nox-crete.com

**1.4 Emergency telephone number** 

**Emergency Number** 

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

#### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Asp. Tox. 1 H304

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects No additional information available 2.2 Label elements Hazard pictograms



Signal word

Hazard statements

**Precautionary statements Prevention:** 

**Response:** 

Danger

H304 - May be fatal if swallowed and enters airway

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.



DRYCAST RELEASE

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Storage: **Disposal:**  P331 - Do NOT induce vomiting

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations. None known.

### 2.3 Other hazards

Full text of H and P phrases: see section 16

#### Section 3. **Composition / information on ingredients**

#### 3.1 Substances

### Not applicable 3.2 Mixture

Name	Product identifier	%
Hydrotreated Petroleum Distillates	Trade Secret	Trade Secret
Highly Refined Base Oil	Trade Secret	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are nonhazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

#### First aid measures Section 4.

Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestionresult in headache, nausea, drowsiness or dizziness. May cause skin irritation or burning sensation May cause eye irritation or injury Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	4.1 Description of first aid measures	
First-aid measures after skin contactbreathing seek a healthcare professional immediately. Remove to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice. If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water.First-aid measure after eye contactWhen contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical attention immediately.First-aid measures after ingestionMay cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contact Symptoms/injuries after ingestionMay cause skin irritation or burning sensation May cause eye irritation or burning sensation May cause eye irritation or burning sensation May cause eye irritation or burning and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	First-aid measures general	
First-aid measure after eye contactimmediately all contaminated clothing. Wash off immediately with soap and plenty of water.First-aid measures after ingestionWhen contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical attention immediately.First-aid measures after ingestionRinse mouth. DO NOT induce vomiting. Get medical attention immediately.First-aid measures after ingestionMay cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contact Symptoms/injuries after ingestionMay cause eye irritation or burning sensation May cause eye irritation or injury Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.		breathing seek a healthcare professional immediately. Remove to fresh air and keep at rest in a position comfortable for breathing.
with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical attention immediately.First-aid measures after ingestionRinse mouth. DO NOT induce vomiting. Get medical attention immediately.4.2Most important symptoms and effects, acute and delayedSymptoms/injuries after inhalationMay cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestionMay cause eye irritation or burning sensation May cause eye irritation or injury Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	First-aid measures after skin contact	immediately all contaminated clothing. Wash off immediately with soap
4.2 Most important symptoms and effects, acute and delayedSymptoms/injuries after inhalationMay cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contactMay cause skin irritation or burning sensationSymptoms/injuries after eye contactMay cause eye irritation or injurySymptoms/injuries after ingestionSwallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	First-aid measure after eye contact	with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical
4.2 Most important symptoms and effects, acute and delayedSymptoms/injuries after inhalationMay cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contactMay cause skin irritation or burning sensationSymptoms/injuries after eye contactMay cause eye irritation or injurySymptoms/injuries after ingestionSwallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention
Symptoms/injuries after inhalationMay cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestionMay cause skin irritation or burning sensation May cause eye irritation or injury Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	4.2 Most important symptoms and effects	
Symptoms/injuries after eye contact Symptoms/injuries after ingestionMay cause eye irritation or injurySwallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.		May cause irritation to the respiratory tract. Overexposure to vapors may
Symptoms/injuries after eye contact Symptoms/injuries after ingestionMay cause eye irritation or injurySwallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	Symptoms/injuries after skin contact	May cause skin irritation or burning sensation
gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.	Symptoms/injuries after eye contact	May cause eye irritation or injury
1.3 Indication of any immediate medical attention and special treatment needed		gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.

Indication of any immediate medical attention and special treatment needed

No additional information available



DRYCAST RELEASE

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

5.1 Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the subst	ance or mixture
Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	This material may release vapors when heated above ambient
	temperatures. Vapors can cause a flash fire. Use water spray or fog to
	cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and
	full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released.
	This product may cause the floor to become slippery.

## Section 6. Accidental release measures

	<u>6.1</u>	Personal	precautions,	protective	equipment	and emerge	gency	procedures
--	------------	----------	--------------	------------	-----------	------------	-------	------------

<b>6.1</b> Personal precautions, protective equip	ment and emergency procedures
General measures	Eliminate any ignition sources. Dike or impound spilled material. Take
	proper precautions to ensure your own health and safety before
	attempting spill control or cleanup.
6.11 Protective Equipment	Equip cleanup crew with proper protective equipment.
6.2 Environmental precautions	Prevent entry to sewers and public waters.
	Notify authorities if liquid enters sewers or public waters.
6.3 Methods and materials for containment	t and cleaning up
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth.
	Collect into vapor tight containers and dispose of properly.
Ocation 7 Handling and stars	
Section 7. Handling and storage	
7.1 Precautions for safe handling	
Protective measures	Wash hands and other exposed areas with soap and water before
	eating, drinking or smoking and when leaving work. Provide good
	ventilation in work areas to prevent formation of vapor. When not in use
	keep containers tightly closed. Avoid breathing vapor or mist.
Hygiene measures	Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, including	
Storage conditions	Store in accordance with local regulations. Store in original container in
	a cool well-ventilated place. Keep containers tightly closed until ready
	for use.
Incompatible materials	Acids, prolonged contact with aluminum, brass, bronze, copper, lead,
·	tin, zinc or other alkali sensitive metals or alloys
Storage temperature	Store in a cool dry environment away from sources of ignition.

## Section 8. Exposure controls/personal protection

# 8.1 Control parameters

Ingredient name Occupational exposure limits		
	ACGIH TLV (United States)	
Hydrotreated Petroleum Distillates	TWA: 5 mg/m3 8 hours as mist	
Highly Refined Base Oil	TWA: 5 mg/m3 8 hours as mist	



DRYCAST RELEASE

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

## Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties		
Appearance	Clear to pale straw liquid	
Odor	Mild	
Odor Threshold	No data available	
PH	No data available	
Melting point	No data available	
Freezing point	No data available	
Boiling point	260 C (500 F)	
Flash point	> 94 C > 200 F	
Relative evaporation rate (butyl acetate=1)	No data available	
Flammability (solid, gas)	No data available	
Upper/lower explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density (Specific gravity)	0.86 Kg per Liter 7.2 Lbs per Gallon	
Solubility	Water: Negligible	
Partition coefficient n-octanol/water	No data available	
Auto-ignition temperature	No data available	
Viscosity	No data available	
VOC content	Less than 450 g/l	

## Section 10. Stability and reactivity

10.1Reactivity10.2Chemical stability10.3Possibility of hazardous reactions10.4Conditions to avoid10.5Incompatible materials10.6Hazardous decomposition products

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Strong acids, alkalis and oxidizers Carbon Monoxide, Carbon Dioxide

## Section 11. Toxicology information

### 11.1 Information on toxicological effects Acute toxicity

Irritation/Corrosion Skin Eyes Respiration or skin sensitization Germ cell mutagenicity Carcinogenicity No adverse effects expected under intended use. May cause skin irritation May causes serious eye irritation and damage. May cause respiratory irritation No data available No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the



**DRYCAST RELEASE** 

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Reproductive toxicity Specific target organ toxicity Single exposure Repeated exposure Aspiration hazard	U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC) No data available No data available No data available May be fatal if swallowed and enters airways
Section 12. Ecological information	
12.1 Ecotoxicity 12.2 Persistence and degradability 12.3 Bio accumulative potential 12.4 Mobility in soil 12.5 Other adverse effects	Not established Not established Not established No additional information available Avoid release to the environment
SECTION 13. Disposal Considerat	ons
13.1 Waste treatment methods	The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
SECTION 14. Transport information	
In accordance with ADR / RID / ADNR / IMDG <u>14.1 UN number</u> <u>14.2 UN proper shipping name</u> <u>14.3 Transport hazard class(es)</u> <u>14.4 Packing group</u> <u>14.5 Environmental hazards</u> <u>14.6 Special precautions for user</u> <u>14.7 Transport in bulk according to</u> <u>Annex II of MARPOL 73/78 and the IBC Code</u> <u>14.8 Transport in bulk according to</u> <u>CFR 49 173.15</u>	Not dangerous goods in sense of transport regulations. Not applicable Not applicable Not applicable No additional information available
SECTION 15. Regulatory information	n
15.1 Safety, health and environmental regula 15.1.2 USA Regulations Section 313 TSCA Proposition 65	tions/legislation specific for the substance or mixture Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted None of the ingredients is listed
<u>15.1.3 Canada Regulations</u> DSL WHMIS	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR. All ingredients are listed or exempted
15.2 Chemical safety assessment	A Chemical Safety Assessment has not been carried out.
Section 16. Other information	



**DRYCAST RELEASE** 

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Date of issue	7-14-2023
Version	4.0
Number	815
Date of previous issue	7-31-2023
Preparer	Nox-Crete, Inc.
Reference Documentation	

The information and recommendations contained herein are, to the best of Nox-Crete, Inc's knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

### Full text of H and P phrases

Asp. Tox. 1 - Aspiration hazard, hazard category 1

Asp. Tox. 1 H304

H304 – May be fatal if swallowed and enters airway. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 - Do NOT induce vomiting. P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.