

## Section 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product Form	Mixture
Trade Name	FEATHER PATCH
Product Code	FP

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Industrial. For professional use only.
-----	--

#### 1.2.2 Uses Advised Against

No additional information available

### 1.3 Details of the supplier of the safety data sheet

Manufacturer	Supplier
--------------	----------

NOX-CRETE, INC.  
1444 SOUTH 20<sup>TH</sup> STREET  
OMAHA, NE 68108  
Tel: 402-341-2080  
Fax: 402-341-9752  
E-Mail: [corporate@nox-crete.com](mailto:corporate@nox-crete.com)  
Web Site: [www.nox-crete.com](http://www.nox-crete.com)

### 1.4 Emergency telephone number

Emergency Number	Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887
------------------	--

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Skin Corr. 1A	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
Carc. 1	H350
STOT RE 1	H372

Full text of H phrases see section 16

### Adverse physiochemical, human health and environmental effects

No additional information available

### 2.2 Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H350 - May cause cancer



H372 - Causes damage to organs through prolonged or repeated exposure

**Precautionary statements**

**Prevention:**

P201- Obtain special instructions before use  
P202- Do not handle until all safety precautions have been read and understood  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash exposed areas thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response:**

P301+P330+P312 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.  
P331 - Do NOT induce vomiting  
P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

**Storage:**

**Disposal:**

P362 - Take off contaminated clothing and wash before reuse  
P405 - Store locked up.

**Supplemental Information:**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.  
Additional information on the selection and use of respirators can be found in the NIOSH Respirator Selection Logic (DHHS [NIOSH] Publication No. 2005-100) and the NIOSH Guide to Industrial Respirator Protection (DHHS [NIOSH] Publication No. 87-116) available at <http://www.cdc.gov/niosh/docs/87-116/>.

**2.3 Other hazards**

This product contains greater than 0.1 % crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure.

Keep product dry until use. Avoid contact with bleed water from wet product. Clothing saturated with wet product can result in delayed, serious alkali skin burns.

Full text of H and P phrases: see section 16

**Section 3. Composition / information on ingredients**

**3.1 Substances**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

Not applicable

**3.2 Mixture**

Name	Product identifier CAS #	%
Calcium Sulfoaluminate Cement	960375-09-1	10-15
Quartz	14808-60-7	49-97
Cement, Portland, chemicals	65997-15-1	2-37
Gypsum	13397-24-5	2-11
Magnesium oxide	1309-48-4	0.6-2.7
Limestone	1317-65-3	0.4-2
Calcium oxide	1305-78-8	0.1-3
Flue dust, portland cement	68475-76-3	0.2-1.1
Formaldehyde	50-00-0	< 0.01

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

**Section 4. First aid measures****4.1 Description of first aid measures****First-aid measures general**

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

**First-aid measures after inhalation**

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

**First-aid measures after skin contact**

If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.

**First-aid measure after eye contact**

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately. Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

**First-aid measures after ingestion****4.2 Most important symptoms and effects, acute and delayed****Symptoms/injuries after inhalation**

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

**Symptoms/injuries after skin contact**

May cause skin irritation or burning sensation

**Symptoms/injuries after eye contact**

May cause eye irritation or injury

**Symptoms/injuries after ingestion**

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

**4.3 Indication of any immediate medical attention and special treatment needed**



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

No additional information available

## Section 5. Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Treat for surrounding material

Unsuitable extinguishing media

None known

### 5.2 Special hazards arising from the substance or mixture

Reactivity

Product does not burn; however, its packaging may. Products of combustion may include, and are not limited to: oxides of carbon.

### 5.3 Advice for firefighters

Firefighting instructions

Keep upwind of fire.

Protective equipment for firefighters

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

Other information

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

General measures

Take proper precautions to ensure your own health and safety before attempting spill control or cleanup

#### 6.11 Protective Equipment

Equip cleanup crew with proper protective equipment.

### 6.2 Environmental precautions

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Vacuum or sweep material and place in a disposal container. Collect into containers and dispose of properly.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

Protective measures

Avoid contact with skin and eyes. Avoid generating and breathing dust. Do not swallow. When not in use keep containers tightly closed.

Hygiene measures

Wash contaminated clothing before reuse. Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers dry and dry and tightly closed until ready for use.

Incompatible materials

Strong acids

Storage temperature

.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States, 2/2010)
Calcium Sulfoaluminate Cement	1 mg/m <sup>3</sup> (respirable fraction)
Quartz	0.025 mg/m <sup>3</sup> (respirable fraction)

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

Cement, Portland, chemicals	1 mg/m <sup>3</sup> (respirable fraction)
Gypsum	10 mg/m <sup>3</sup>
Magnesium oxide	10 mg/m <sup>3</sup>
Limestone	10 mg/m <sup>3</sup>
Calcium oxide	2 mg/m <sup>3</sup>
Flue dust, portland cement	3 mg/m <sup>3</sup> (respirable fraction)
Formaldehyde	0.3 ppm

## 8.2 Exposure controls

### Appropriate engineering controls

Use with adequate ventilation to keep product concentrations below specified TLV

### Eye and face protection

Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.

### Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

### Respiratory protection

A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Sanded powder
Odor	None
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	Not applicable
Flash point	Not applicable
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	2.4-3.1
Solubility	No data available
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	No data available
Viscosity	No data available
VOC content	No data available

**Section 10. Stability and reactivity****10.1 Reactivity**

No additional information available

**10.2 Chemical stability**

Stable under normal conditions

**10.3 Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4 Conditions to avoid**

Moisture - product must be kept dry until ready to use

**10.5 Incompatible materials**

Strong acids

**10.6 Hazardous decomposition products**

No data available

**Section 11. Toxicology information****11.1 Information on toxicological effects****Acute toxicity**

Harmful if swallowed

**Irritation/Corrosion Skin  
Eyes**

Causes severe skin burns.

Causes serious eye irritation and damage.

**Respiration or skin sensitization**

May cause respiratory irritation and allergic skin reaction

**Germ cell mutagenicity**

No data available

**Carcinogenicity****IARC****NTP**

Quartz	1	2
Formaldehyde	1	2

**IARC**

1 - Carcinogenic to humans

**NTP**

2 - Known human carcinogen

**Reproductive toxicity**

No data available

**Specific target organ toxicity****Single exposure**

May cause respiratory irritation

**Repeated exposure**

Causes damage to lungs through prolonged or repeated exposure. (Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.)

**Aspiration hazard**

No data available

**Section 12. Ecological information****12.1 Ecotoxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Other adverse effects**

Avoid release to the environment

**SECTION 13. Disposal Considerations****13.1 Waste treatment methods**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

**SECTION 14. Transport information****In accordance with US DOT**

Not dangerous goods in sense of transport regulations.

**In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA / DOT****14.1 UN number**

Not applicable

**14.2 UN proper shipping name**

Not applicable

**14.3 Transport hazard class(es)****14.4 Packing group****14.5 Environmental hazards**

No additional information available

**14.6 Special precautions for user****14.7 Transport in bulk according to**

**Annex II of MARPOL 73/78 and the IBC Code** No additional information available

**14.8 Transport in bulk according to**

**CFR 49 173.15**

Not applicable

**SECTION 15. Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.2 USA Regulations****Section 313**

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.

CHEMICAL  
Formaldehyde

CAS #  
50-00-0

MAX WEIGHT %  
0.01

**TSCA**

All ingredients are listed or exempted

**PROPOSITION 65**

**WARNING:** This product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size), which is known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**15.1.3 Canada Regulations**

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all the information required by the HPR.

**DSL**

All ingredients are listed or exempted

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

**Section 16. Other information**

Date of issue  
Version

7-11-2023  
3.0





According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

Number 209  
Date of previous issue 7-20-2020  
Preparer Nox-Crete, Inc.

#### Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

#### **Full text of H and P phrases**

Skin Corr. 1B	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
Carc. 1	H350
STOT RE 1	H372

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

P201- Obtain special instructions before use

P202- Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed areas thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P312 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P331 - Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician





chemical solutions to concrete problems

## FEATHER PATCH

## Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

---

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P405 - Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.