

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form Mixture
Trade Name Kem-Ex-It Plus

Product Code KXP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer Supplier

NOX-CRETE, INC. 1444 SOUTH 20TH STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Flam Liq. 4 H227 Met. Corr. 1 H290 Skin Corr. 1B H314

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word Danger

Hazard statements H227 - Combustible liquid

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Precautionary statements

Prevention: P210 - Keep away from heat/sparks/open flames/hot surfaces-No

smoking

P234 - Keep only in original container.

EN (English) Page 1 of 7



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed areas thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face

protection

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off

immediately all contaminated clothing. Rinse skin with water / shower P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for broathing.

in a position comfortable for breathing.

P305+P310 - IF IN EYES: Immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for

extinction

Storage: P403+P235 - Store in a well-ventilated place. Keep cool. **Disposal:** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Other hazards

None known

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances

Not applicable

Response:

3.2 Mixture

Name	Product identifier	%
Phosphoric Acid Solution	Trade Secret	Trade Secret
Ethoxylated Alcohol	CAS # 78330-21-9	15
Isobutanol	CAS # 201-148-0	15

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers)

Section 4. First aid measures

4.1 Description of first aid measures

First-aid measures general

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

EN (English) Page 2 of 7



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

First-aid measure after eye contact When contact lenses are worn, remove if possible. In case of contact

with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation May cause eye irritation or injury

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing mediaUse fire-extinguishing media appropriate for surrounding materials.

Dry chemical, foam carbon dioxide

Unsuitable extinguishing media Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

Reactivity Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Firefighting instructionsUse water spray or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should wear self-contained breathing apparatus (SCBA) and

full protective gear when fighting any chemical fire.

Other information On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Dike or impound spilled material. Take proper precautions to ensure

your own health and safety before attempting spill control or cleanup.

6.11 For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.12 For emergency responders

Protective equipment Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

EN (English) Page 3 of 7



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Protective measures Wash hands and other exposed areas with soap and water before

eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use

keep containers tightly closed. Avoid breathing vapor or mist.

Wash contaminated clothing before reuse.

Hygiene measures

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container in Storage conditions

a cool well-ventilated place. Keep containers tightly closed until ready

for use. Keep from freezing.

Incompatible materials Organic and inorganic bases. Flammable hydrogen gas and heat may

be released on prolonged contact with metals such as aluminum, tin,

lead and galvanized metals.

Storage temperature Prevent exposure to freezing temperatures.

Specific end uses No additional information available

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States, 2/2010)
Isobutanol	TWA 200 ppm
Phosphoric Acid Solution	TWA 1mg/m3
Ethoxylated Alcohol	Not Established

Exposure controls

Appropriate engineering controls Use with adequate ventilation to keep product vapor concentrations

below specified TLV

Eye and face protection Chemical goggles and/or face shields are recommended to prevent

potential eye contact, irritation or injury.

Wear chemical resistant gloves and appropriate protective clothing and Skin protection

> boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered

before reuse.

General room ventilation is normally adequate. Avoid breathing the Respiratory protection

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colorless liquid

Odor Mild

Odor Threshold No data available PH No data available **Melting point** No data available Freezing point No data available **Boiling point** 100 C (212 F)

Flash point >60 C (140 F) < 93 C (200 F)

Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available **Upper/lower explosive limits** No data available Vapor pressure No data available Vapor density No data available

EN (English) Page 4 of 7



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Water: Complete

Relative density (Specific gravity) 1.18 Kg per Liter 9.8 Lbs per Gallon

Solubility

Partition coefficient n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
No data available

Explosive properties

Oxidizing properties

Not applicable

Not applicable

Other information

VOC content No data available

Section 10. Stability and reactivity

10.1 ReactivityNo additional information available10.2 Chemical stabilityStable under normal conditions

10.3 Possibility of hazardous reactions Hazardous polymerization will not occur.

10.4 Conditions to avoid Extreme high or low temperatures. Avoid freezing

10.5 Incompatible materials

10.6 Hazardous decomposition products Carbon Monoxide & Carbon Dioxide

Section 11. Toxicology information

11.1 Information on toxicological effects

Acute toxicity

No adverse effects expected under intended use.

Irritation/Corrosion Skin May cause skin irritation

Eyes May causes serious eye irritation and damage.

Respiration or skin sensitization May cause respiratory irritation

Germ cell mutagenicity
Carcinogenicity
Not classified
Reproductive toxicity
Not classified
Not classified

Specific target organ toxicity

Single exposure
Repeated exposure
Aspiration hazard
Not classified
Not classified
Not classified

Section 12. Ecological information

12.1 ToxicityNot established12.2 Persistence and degradabilityNot established12.3 Bioaccumulative potentialNot established

12.4 Mobility in soilNo additional information available12.5 Results of PBT and vPvB assessmentNo additional information available12.6 Other adverse effectsAvoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

EN (English) Page 5 of 7



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number UN1760

14.2 UN proper shipping name CORROSIVE LIQUID, N.O.S.,(CONTAINS PHOSPHORIC ACID)

14.3 Transport hazard class(es) 8 Corrosive substances

14.4 Packing group

14.5 Environmental hazards No additional information available

14.6 Special precautions for user
14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations

Section 313

None of the ingredients is listed All ingredients are listed

PROPOSITION 65



WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov."

<u>15.1.3 Canada Regulations</u>

This SDS has been prepared according to the hazard criteria of the

Hazardous Products Regulation (HPR) (WHMIS 2015) and the SDS

contains all of the information required by the HPR

DSL This product complies with DSL

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue7-17-2023Version3.0Number518Date of previous issue7-29-2021PreparerNox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in

EN (English) Page 6 of 7



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

Flam Liq. 4 H227 Met. Corr. 1 H290 Skin Corr. 1B H314

H227 - Combustible liquid

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking

P234 - Keep only in original container.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed areas thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 7 of 7