

# NOX-CRETE FORM COATING 450 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

### Section 1. Identification of the substance/mixture and of the company/undertaking

 1.1
 Product identifier

 Product Form
 Mixture

 Trade Name
 NOX-CRETE FORM COATING 450

 Product Code
 FC450

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Use
 Industrial. For professional use only.

 1.2.2
 Uses Advised Against

 No additional information available

 1.3
 Details of the supplier of the safety data sheet

 Manufacturer

NOX-CRETE, INC 1444 SOUTH 20<sup>TH</sup> STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <u>corporate@nox-crete.com</u> Web Site: <u>www.nox-crete.com</u>

1.4 Emergency telephone number

**Emergency Number** 

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

H304 Asp. Tox. 1

Full text of H phrases see section 16Adverse physiochemical, human health and environmental effectsNo additional information available2.2Label elementsHazard pictograms

Danger



Signal word

Hazard statements

Precautionary	statements
Prevention:	
Response:	

H304 - May be fatal if swallowed and enters airway

P264 - Wash exposed skin thoroughly after handling P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

EN (English)



# **NOX-CRETE FORM COATING 450**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Storage: Disposal:

P331 - Do NOT induce vomiting P405 - Store locked up. P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

### 2.3 Other hazards

None known

Full text of H and P phrases: see section 16

#### **Composition / information on ingredients** Section 3.

### 3.1 Substances

Not applicable

### 3.2 Mixture

Name	Product identifier	%
Hydrotreated Petroleum Distillates	Trade Secret	60100

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

### Section 4. First aid measures

4.1 Description of first aid measures	
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by
First-aid measures after inhalation	mouth to an unconscious person. If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.
4.2 Most important symptoms and effects,	acute and delayed
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.
Symptoms/injuries after skin contact	May cause skin irritation or burning sensation
Symptoms/injuries after eye contact	May cause eye irritation or injury
Symptoms/injuries after ingestion	May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach
4.3 Indication of any immediate medical att	

No additional information available

#### Section 5. **Firefighting measures**



# NOX-CRETE FORM COATING 450

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

5.1 Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the subs Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	mermai decomposition products may cause a nealth hazard.
Firefighting instructions	This material may release vapors when heated above
	ambient temperatures. Vapors can cause a flash fire. Use water spray
	or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and
	full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released.
	This product may cause the floor to become slippery.
Section 6. Accidental release meas	sures
6.1 Personal precautions, protective equi	
General measures	Eliminate any ignition sources. Dike or impound spilled material. Take
	proper precautions to ensure your own health and safety before
6.11 Protoctive Equipment	attempting spill control or cleanup.
6.11 Protective Equipment 6.2 Environmental precautions	Equip cleanup crew with proper protective equipment. Prevent entry to sewers and public waters.
<u>5.2 Environmental precaditoris</u>	Notify authorities if liquid enters sewers or public waters.
6.3 Methods and materials for containme	
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth. Collect into vapor tight containers and dispose of properly.
Section 7. Handling and storage	
7.1 Precautions for safe handling	
Protective measures	Wash hands and other exposed areas with soap and water before eating,
	drinking or smoking and when leaving work. Provide good ventilation in work
	areas to prevent formation of vapor. When not in use keep containers tightly
Hygiene measures	closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, including	•
Storage conditions	Store in accordance with local regulations. Store in original container in a cool
0	well-ventilated place. Keep containers tightly closed until ready for use.
Incompatible materials	Acids, prolonged contact with aluminum, brass, bronze, copper, lead,
	tin, zinc or other alkali sensitive metals or alloys
Storage temperature	Store in a cool dry environment away from sources of ignition.
Section 8. Exposure controls/perso	onal protection
8.1 Control parameters	
Occupational exposure limits	

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Hydrotreated Petroleum Distillates	TWA: 5 mg/m3 8 hours as mist



## NOX-CRETE FORM COATING 450 Safe

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

8.2 Exposure controls	
Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV.
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

# Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Clear to pale straw liquid
Odor	Mild
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	> 205 C (400 F)
Flash point	> 94 C (200 F)
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	0.85 Kg per Liter 7.1 Lbs per Gallon
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	Less than 450 g/l

## Section 10. Stability and reactivity

10.1	Reactivity
10.2	Chemical stability
10.3	Possibility of hazardous reactions
10.4	Conditions to avoid
10.5	Incompatible materials
10.6	Hazardous decomposition products

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Strong acids, alkalies and oxidizers Carbon Monoxide, Carbon Dioxide

# Section 11. Toxicology information

### 11.1 Information on toxicological effects

Acute toxicity Irritation/Corrosion Skin Eyes Respiration or skin sensitization No adverse effects expected under intended use. May cause skin irritation May causes serious eye irritation and damage. May cause respiratory irritation



chemical solutions to concrete problems

# NOX-CRETE FORM COATING 450 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Germ cell mutagenicity Carcinogenicity	Not classified No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC)
Reproductive toxicity	Not classified
Specific target organ toxicity	
Single exposure	Not classified
Repeated exposure	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways

### Section 12. Ecological information

2.1 Ecotoxicity 12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil 12.5 Other adverse effects Not established Not established Not established No additional information available Avoid release to the environment

### SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

# SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA		
<u>14.1 UN number</u>	Not dangerous goods in sense of transport regulations.	
14.2 UN proper shipping name	Compounds, Mold Release. N.O.I.	
	NMFC# 50244	
<u>14.3 Transport hazard class(es)</u>	Not applicable	
14.4 Packing group	Not applicable	
14.5 Environmental hazards	No additional information available	
14.6 Special precautions for user		
14.7 Transport in bulk according to		
Annex II of MARPOL 73/78 and the IBC Code	No additional information available	
14.8 Transport in bulk according to		
<u>CFR 49 173.15</u>	Not applicable	

## SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations		
Section 313 TSCA	Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted	
Proposition 65	None of the ingredients is listed	
15.1.3 Canada Regulations	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS	



## NOX-CRETE FORM COATING 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

### DSL **15.2 Chemical safety assessment**

contains all of the information required by the HPR. All ingredients are listed or exempted A Chemical Safety Assessment has not been carried out.

#### Section 16. Other information

Date of issue	5-30-2023
Version	3.0
Number	637
Date of previous issue	5-5-2021
Preparer	Nox-Crete, Inc.
Reference Documentation	

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete. Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, republication or retransmission of this document, in whole or in part is not permitted.

### Full text of H and P phrases

H304 - May be fatal if swallowed and enters airways

Asp. Tox. 1

P264 - Wash exposed skin thoroughly after handling

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.