

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form Mixture

Trade Name SILCOSEAL EX

Product Code SSEX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Jse Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE, INC.

1444 SOUTH 20TH STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Flam Liq. 2	H225
Acute Tox. 4 (oral)	H302
Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Dam. 1	H318
Acute Tox. 4 (inhalation)	H332
resp. irrit. STOT SE 3	H335
STOT SE 3 drowsiness	H336
Repr. 2	H361
STOT RE 2	H373

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



EN (English) Page 1 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Signal word Danger

Hazard statements H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H361 - Suspected of damaging fertility or the unborn child H373 - May cause damage to organs through prolonged or

repeated exposure.

Precautionary statements Prevention:

P201- Obtain special instructions before use

P202- Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking

P233- Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/light/equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response:

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off

immediately all contaminated clothing. Rinse skin with water / shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse.

P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

EN (English) Page 2 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Storage: P403+P405+P235+P233 - Store locked up in a cool well-ventilated

place. Keep container tightly closed.

Disposal: P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Other hazards None known

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Name	Product identifier	%
VOC exempt solvent # 1	Trade Secret	Trade Secret
VOC exempt solvent # 2	Trade Secret	Trade Secret
Toluene	108-88-3	< 10.0
Alcohol	Trade Secret	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures

4.1	Descri	ntion of	f firet aid	measures
7.1	Descri	puon o	i ili St alu	measures

First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by

mouth to an unconscious person.

First-aid measures after inhalation If the individual experiences nausea, dizziness, has difficulty in

breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a Poison Center or doctor/physician.

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

First-aid measure after eye contact When contact lenses are worn, remove if possible. In case of contact

with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact May cause skin irritation or burning sensation

Symptoms/injuries after eye contact May cause eye irritation or injury

EN (English) Page 3 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Symptoms/injuries after ingestion May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing mediaDry chemical, foam, carbon dioxideUnsuitable extinguishing mediaDo not use heavy water stream

5.2 Special hazards arising from the substance or mixture

Reactivity Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Other information

Firefighting instructions

This material releases vapors when heated above

ambient temperatures. Vapors can cause a flash fire. Use water spray

or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should always wear self-contained breathing apparatus

(SCBA) and full protective gear when fighting any chemical fire. On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Eliminate any ignition sources. Dike or impound spilled material. Take

proper precautions to ensure your own health and safety before

attempting spill control or cleanup.

<u>6.11 Protective Equipment</u> Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measuresWash hands and other exposed areas with soap and water before

eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use

keep containers tightly closed. Avoid breathing vapor or mist.

Hygiene measures Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Product is a highly flammable liquid. Store in accordance with local

regulations. Store in original container in a cool well-ventilated place away from heat, sparks and open flame. Keep containers tightly closed

until ready for use.

Incompatible materials Strong oxidizing agents. Strong acids or bases

EN (English) Page 4 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Storage temperature

Store in a cool dry environment away from sources of ignition. Store with a temperature range between 40 F (4 C) and 100 F (38 C). Silcoseal LVOC begins to gel (changes to a solid) at 25 F (-4 C). Product stored below this temperature must be warmed up to a minimum of 25 F (-4 C) prior to use.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)	
VOC exempt solvent # 2	TWA: 200 ppm 8 hours	
Alcohol	TWA: 50 ppm 8 hours	
Toluene	TWA: 200 ppm 8 hours	
VOC exempt solvent # 1	Not Established	

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations

below specified TLV

Eye and face protectionChemical goggles and/or face shields are recommended to prevent

potential eye contact, irritation or injury.

Skin protection Wear chemical resistant gloves and appropriate protective clothing and

boots as required to prevent skin contact. Wash exposed skin

frequently with soap and water. Soiled clothing should be laundered

before reuse.

Respiratory protectionGeneral room ventilation is normally adequate. Avoid breathing the

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

2.1 Information on basic physical and chemical properties

Appearance Red liquid

Odor Mild solvent odor
Odor Threshold No data available
PH No data available
Melting point No data available
Freezing point No data available
Boiling point 94 C (200 F)

Flash point 13 C 55 F PMCC Relative evaporation rate (butyl acetate=1) No data available

Flammability (solid, gas) Highly flammable liquid and vapor

Upper/lower explosive limitsNo data availableVapor pressureNo data availableVapor densityNo data available

Relative density (Specific gravity) 1.04 Kg per Liter 8.7 Lbs per Gallon

SolubilityWater: InsolublePartition coefficient n-octanol/waterNo data availableAuto-ignition temperatureNot applicable

EN (English) Page 5 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Viscosity No data available **VOC** content Less than 350 g/l

Section 10. Stability and reactivity

10.1 Reactivity No additional information available 10.2 Chemical stability Stable under normal conditions

10.3 Possibility of hazardous reactions Hazardous polymerization will not occur. 10.4 Conditions to avoid Extreme high or low temperatures.

10.5 Incompatible materials Strong acids, bases and oxidizers

10.6 Hazardous decomposition products carbon monoxide, carbon dioxide, various hydrocarbon derivatives.

Chlorine and Fluorine containing gases may be produced.

No adverse effects expected under intended use.

Section 11. Toxicology information

11.1 Information on toxicological effects

Acute toxicity

Irritation/Corrosion Skin May cause skin irritation

Eyes

May causes serious eye irritation and damage.

Respiration or skin sensitization May cause respiratory irritation

Germ cell mutagenicity No data available

Carcinogenicity **IARC**

Toluene 3

3 – Not classifiable as to its carcinogenicity to humans

Reproductive toxicity No data available

Specific target organ toxicity

Single exposure No data available Repeated exposure No data available **Aspiration hazard** No data available

Section 12. Ecological information

12.1 Ecotoxicity No data available 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available

12.5 Other adverse effects Avoid release to the environment

SECTION 13. **Disposal Considerations**

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment,

EN (English) Page 6 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number UN1123 14.2 UN proper shipping name **Butyl Acetates**

14.3 Transport hazard class(es) 14.4 Packing group

14.5 Environmental hazards No additional information available 14.6 Special precautions for user No additional information available

14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to

CFR 49 173.15

Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations

PROPOSITION 65

DSL

Section 313 Contains the following ingredients at or above the reporting level

requirements of Section 313. This information must be included in all

SDS's copied or distributed for this material.

CHEMICAL CAS# MAX WEIGHT %

108-88-3 Toluene 10.0

TSCA All ingredients are listed or exempted

WARNING: This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go

to www.P65Warnings.ca.gov

15.1.3 Canada Regulations This SDS has been prepared according to the hazard criteria of the

Hazardous Products Regulation (HPR) (WHMIS 2015) and the SDS

contains all of the information required by the HPR.

All ingredients are listed or exempted

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

Other information Section 16.

Date of issue 8-3-2023 Version 5.0 Number 950 Date of previous issue 6-1-2023 Preparer Nox-Crete, Inc.

EN (English) Page 7 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

Flam Liq. 2	H225
Acute Tox. 4 (oral)	H302
Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Dam. 1	H318
Acute Tox. 4 (inhalation)	H332
resp. irrit. STOT SE 3	H335
STOT SE 3 drowsiness	H336
Repr. 2	H361
STOT RE 2	H373

- H225 Highly flammable liquid and vapor
- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H361 Suspected of damaging fertility or the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure.
- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat/sparks/open flames/hot surfaces-No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment

EN (English) Page 8 of 9



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

- P241 Use explosion-proof electrical/ventilating/light/.../equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash exposed area's thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse.

P337+P313 - If eye irritation persists: Get medical advice/attention

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

P403+P405+P235+P233 - Store locked up in a cool well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 9 of 9