

VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier **Product Form Trade Name Product Code** Use 1.2.2 Uses Advised Against No additional information available 1.3 Details of the supplier of the safety data sheet

Mixture VERTICAL PATCH VP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial. For professional use only.

Manufacturer

Supplier

NOX-CRETE, INC. 1444 SOUTH 20TH STREET OMAHA. NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
Carc. 1	H350
STOT RE 1	H372

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects No additional information available

2.2 Label elements

Hazard pictograms



Signal word

Hazard statements

Danger

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H350 - May cause cancer



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

	H372 - Causes damage to organs through prolonged or repeated exposure
Precautionary statements	
Prevention:	 P201- Obtain special instructions before use P202- Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash exposed areas thoroughly after handling P270 - Do not eat, drink or smoke when using this product P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response:	 P301+P330+P312 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. P331 - Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse
Storage: Disposal:	P405 - Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental Information:	Additional information on the selection and use of respirators can be found in the NIOSH Respirator Selection Logic (DHHS [NIOSH] Publication No. 2005-100) and the NIOSH Guide to Industrial Respirator Protection (DHHS [NIOSH] Publication No. 87-116) available at <u>http://www.cdc.gov/niosh/docs/87-116/.</u>
2.3 Other hazards	This product contains greater than 0.1 % crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure. Keep product dry until use. Avoid contact with bleed water from wet product. Clothing saturated with wet product can result in delayed, serious alkali skin burns.

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Not applicable 3.2 Mixture

Name	Product identifier CAS #	%
Calcium Sulfoaluminate Cement	960375-09-1	10-15
Quartz	14808-60-7	49-97
Cement, Portland, chemicals	65997-15-1	2-37
Gypsum	13397-24-5	2-11
Magnesium oxide	1309-48-4	0.6-2.7
Limestone	1317-65-3	0.4-2
Calcium oxide	1305-78-8	0.1-3
Flue dust, portland cement	68475-76-3	0.2-1.1
Formaldehyde	50-00-0	< 0.01

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures

4.1 Description of first aid measures			
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.		
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.		
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.		
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.		
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.		
4.2 Most important symptoms and effects, acute and delayed			
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.		
Symptoms/injuries after skin contact May cause skin irritation or burning sensation			
Symptoms/injuries after eye contact	May cause eye irritation or injury		
Symptoms/injuries after ingestion	May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach		
4.3 Indication of any immediate medical att	ention and special treatment needed		
No additional information available			



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 5. **Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	Treat for surrounding material	
Unsuitable extinguishing media	None known	
5.2 Special hazards arising from the substance or mixture		
Reactivity	Product does not burn; however, its packaging may. Products of	
	combustion may include, and are not limited to: oxides of carbon.	
5.3 Advice for firefighters		
Firefighting instructions	Keep upwind of fire.	
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and	
	full protective gear when fighting any chemical fire.	
Other information		

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Gene	eral measures	Take proper precautions to ensure
		your own health and safety before attempting spill control or cleanup
<u>6.11</u>	Protective Equipment	Equip cleanup crew with proper protective equipment.
6.2	Environmental precautions	Prevent entry to sewers and public waters.
		Notify authorities if liquid enters sewers or public waters.
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up Vacuum or sweep material and place in a disposal container.		Vacuum or sweep material and place in a disposal container.
		Collect into containers and dispose of properly.

Section 7. Handling and storage

Avoid contact with skin and eyes. Avoid generating and breathing dust.			
Do not swallow. When not in use keep containers tightly closed.			
Wash contaminated clothing before reuse. Wash hands and other			
exposed areas with soap and water before eating, drinking or smoking			
and when leaving work.			
7.2 Conditions for safe storage, including any incompatibilities			
Store in accordance with local regulations. Store in original container in			
a cool well-ventilated place. Keep containers dry and dry and tightly			
closed until ready for use.			

Incompatible materials

Strong acids

Storage temperature

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States, 2/2010)
Calcium Sulfoaluminate Cement	1 mg/m3 (respirable fraction)
Quartz	0.025 mg/m3 (respirable fraction)



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Cement, Portland, chemicals	1 mg/m3 (respirable fraction)	
Gypsum	10 mg/m3	
Magnesium oxide	10 mg/m3	
Limestone	10 mg/m3	
Calcium oxide	2 mg/m3	
Flue dust, portland cement	3 mg/m3 (respirable fraction)	
Formaldehyde	0.3 ppm	

8.2 Exposure controls

Appropriate engineering controls	Use with adequate ventilation to keep product concentrations
	below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent
	potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and
	boots as required to prevent skin contact. Wash exposed skin
	frequently with soap and water. Soiled clothing should be laundered
	before reuse.
Respiratory protection	A NIOSH approved dust mask or filtering facepiece is recommended in
	poorly ventilated areas or when permissible exposure limits may be
	exceeded. Respirators should be selected by and used under the
	direction of a trained health and safety professional following
	requirements found in OSHA's respirator standard (29 CFR 1910.134)
	and ANSI's standard for respiratory protection (Z88.2).

Section 9. Physical and chemical properties

	9.1 Information on basic physical and chemical properties			
Appearance Sanded powder				
••	one			
Odor Threshold No	o data available			
PH No	o data available			
Melting point No	o data available			
	o data available			
Boiling point No	ot applicable			
Flash point No	ot applicable			
Relative evaporation rate (butyl acetate=1) No	o data available			
Flammability (solid, gas) No	o data available			
Upper/lower explosive limits No	o data available			
Vapor pressure No	o data available			
	o data available			
Relative density (Specific gravity) 2.	4-3.1			
Solubility No	o data available			
	o data available			
	o data available			
	o data available			
VOC content No	o data available			



VERTICAL PATCH

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 10. Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Moisture - product must be kept dry until ready to use Strong acids No data available

Section 11. Toxicology information

11.1 Information on t	oxicological e	ffects
Acute toxicity		
Irritation/Corrosion	Skin	
	Eyes	
Respiration or skin s	ensitization	
Germ cell mutagenic	ity	
Carcinogenicity	IARC	NTP

Harmful if swallowed Causes severe skin burns. Causes serious eye irritation and damage. May cause respiratory irritation and allergic skin reaction No data available

Quartz12Formaldehyde12

IARC

1 - Carcinogenic to humans **NTP**

2 - Known human carcinogen

Reproductive toxicity Specific target organ toxicity Single exposure Repeated exposure

No data available

May cause respiratory irritation

Causes damage to lungs through prolonged or repeated exposure. (Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.)

Aspiration hazard

No data available

Section 12. Ecological information

12.1 EcotoxicityNo data available12.2 Persistence and degradabilityNo data available12.3 Bioaccumulative potentialNo data available12.4 Mobility in soilNo data available12.5 Other adverse effectsAvoid release to the environment



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with US DOT

Not dangerous goods in sense of transport regulations.

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA / DOT		
<u>14.1 UN number</u>	Not applicable	
14.2 UN proper shipping name	Not applicable	
14.3 Transport hazard class(es)		
14.4 Packing group		
14.5 Environmental hazards	No additional information available	
14.6 Special precautions for user		
14.7 Transport in bulk according to		
Annex II of MARPOL 73/78 and the IBC Code	No additional information available	
14.8 Transport in bulk according to		
<u>CFR 49 173.15</u>	Not applicable	

SECTION 15. Regulatory information

15.1 Safety, health and environmental regu 15.1.2 USA Regulations	llations/legislation spe	cific for the substance or mixture	
Section 313	Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.		
CHEMICAL Formaldehyde	CAS # 50-00-0	MAX WEIGHT % 0.01	
TSCA	All ingredients are listed or exempted		
	WARNING : This product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size), which is known to the State of California to cause cancer. For more information, go to <u>www.P65Warnings.ca.gov</u> ."		
15.1.3 Canada Regulations	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR.		
DSL 15.2 Chemical safety assessment	All ingredients are lis		
Section 16. Other information			
Date of issue / revision	7-18-20203		

3.0

EN (English)

Version



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Number Date of previous issue / revision Preparer <u>Reference Documentation</u> 208 7-16-2016 Nox-Crete, Inc.

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

H314
H317
H318
H350
H372

H314 - Causes severe skin burns and eye damage

- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

P201- Obtain special instructions before use

P202- Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed areas thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P312 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. P331 - Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician



VERTICAL PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P405 - Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.