

# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

# Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form Mixture

Trade Name NOX-SOLV EX Product Code NSOLVEX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use

Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE, INC.

1444 SOUTH 20TH STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: <a href="mailto:corporate@nox-crete.com">corporate@nox-crete.com</a>
Web Site: <a href="mailto:www.nox-crete.com">www.nox-crete.com</a>

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Flam Liq. 3	H226
Acute Tox. 4 (oral)	H302
Asp. Tox. 1	H304
Skin Sens. 1	H317
Eye Irrit. 2	H319
STOT SE 3 resp. irrit.	H335
STOT SE 3 drowsiness	H336
Carc. 2	H351

#### Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

# 2.2 Label elements

Hazard pictograms







Signal word Danger

EN (English) Page 1 of 8



Full text of H and P phrases: see section 16

2.3 Other hazards

# NOX-SOLV EX

# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

Hazard statements H226 - Flammable liquid and vapor H302 - Harmful if swallowed H304 - May be fatal if swallowed and enters airways H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H351 - Suspected of causing cancer Precautionary statements Prevention: P201- Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking. P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/light/.../equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash exposed area's thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection P281- Use personal protective equipment as required P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or Response: doctor/physician P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+P313 - IF exposed or concerned: Get medical advice/attention P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P331 - Do NOT induce vomiting P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse. P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction P405+P403+P235 - Store locked up in a well-ventilated place. Keep Storage: Disposal: P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 2 of 8

None known



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

# Section 3. Composition / information on ingredients

### 3.1 Substances

Not applicable

#### 3.2 Mixture

Name	Product identifier	%
Exempt Solvent	Trade Secret	Trade Secret
Organic Solvent	Trade Secret	Trade Secret
Ethylbenzene	100-41-4	< 0.6
1,2,4-trimethylbenzene	95-63-6	< 15.0
Xylene	1330-20-7	< 3.0
Cumene	98-82-8	< 3.0

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

### Section 4. First aid measures

4.1	Description	of first a	id measures
-----	-------------	------------	-------------

First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by

mouth to an unconscious person.

breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a Poison Center or doctor/physician.

First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact

with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

### 4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

Symptoms/injuries after eye contact May cause eye irritation or injury

Symptoms/injuries after ingestion May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

#### 4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

# Section 5. Firefighting measures



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

5.1 Extinguishing media

Suitable extinguishing media Dry chemical, foam, carbon dioxide Unsuitable extinguishing media Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

**Reactivity** Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Other information

Firefighting instructions Flammable Liquid! This material releases vapors when heated above

ambient temperatures. Vapors can cause a flash fire. Use water spray

or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should always wear self-contained breathing apparatus

(SCBA) and full protective gear when fighting any chemical fire. On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

General measures Extremely Flammable. Eliminate any ignition sources. Dike or impound

spilled material. Use Non-sparking tools. All equipment must be grounded. Take proper precautions to ensure your own health and

safety before attempting spill control or cleanup.

<u>6.11 Protective Equipment</u> Equip cleanup crew with proper protective equipment.

**6.2 Environmental precautions** Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Protective measures Wash hands and other exposed areas with soap and water before

eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use

keep containers tightly closed. Avoid breathing vapor or mist.

**Hygiene measures** Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container in

a cool well-ventilated place away from heat, sparks and open flame.

Keep containers tightly closed until ready for use.

Incompatible materials Strong oxidizing agents and acids

Storage temperature Store in a cool dry environment away from sources of ignition.

# Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limits

Occupational exposure limits		
Ingredient name	Occupational exposure limits	
	ACGIH TLV (United States)	
Organic Solvent	TWA: 100 ppm 8 hours	
Xylene	TWA: 100 ppm 8 hours	

EN (English) Page 4 of 8



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

1,2,4-trimethylbenzene	TWA: 25 ppm 8 hours
Ethylbenzene	TWA: 20 ppm 8 hours
Cumene	TWA: 50 ppm 8 hours

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations

below specified TLV

**Eye and face protection**Chemical goggles and/or face shields are recommended to prevent

potential

eye contact, irritation or injury.

**Skin protection** Wear chemical resistant gloves and appropriate protective clothing and

boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered

before reuse.

**Respiratory protection**General room ventilation is normally adequate. Avoid breathing the

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

# Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance Clear liquid
Odor Sweet

Odor ThresholdNo data availablePHNo data availableMelting pointNo data availableFreezing pointNo data availableBoiling point> 138 C (>280 F)

Flash point > 43 C > 109 F PMCC

Relative evaporation rate (butyl acetate=1)

Flammability (solid, gas)

Upper/lower explosive limits

Vapor pressure

Vapor density

No data available
No data available
No data available
No data available

Relative density (Specific gravity) 0.97 Kg per Liter 8.1 Lbs per Gallon

Solubility
Water: Negligible
Partition coefficient n-octanol/water
Auto-ignition temperature
Viscosity
VOC content
Water: Negligible
No data available
No data available
No data available

### Section 10. Stability and reactivity

10.1 ReactivityNo additional information available10.2 Chemical stabilityStable under normal conditions

10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 Hazardous polymerization will not occur.
 Extreme high or low temperatures.

10.5 Incompatible materials Strong acids and oxidizers

10.6 Hazardous decomposition products carbon monoxide, carbon dioxide, various hydrocarbon derivatives

### Section 11. Toxicology information

EN (English) Page 5 of 8



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

11.1 Information on toxicological effects

**Acute toxicity** 

Irritation/Corrosion

Skin

**Eves** 

Respiration or skin sensitization

Germ cell mutagenicity

Carcinogenicity **IARC** 

Xylene	3
Ethylbenzene	2B
Cumene	2B

No adverse effects expected under intended use.

May cause skin irritation

May cause serious eye irritation and damage.

May cause respiratory irritation

No data available

2B - Limited evidence in humans and less than sufficient evidence in animals.

3 - Inadequate in humans and inadequate or limited in animals.

Reproductive toxicity No data available

Specific target organ toxicity

Single exposure No data available Repeated exposure No data available

**Aspiration hazard** May be fatal if swallowed and enters airways

# Section 12. Ecological information

12.1 Ecotoxicity Not established 12.2 Persistence and degradability Not established 12.3 Bioaccumulative potential Not established

12.4 Mobility in soil No additional information available 12.5 Other adverse effects Avoid release to the environment

#### SECTION 13. **Disposal Considerations**

#### 13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### SECTION 14. Transport information

In accordance with US DOT Not regulated under 119 US gallons.

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number 1263

14.2 UN proper shipping name Paint Related Material

14.3 Transport hazard class(es) 3 14.4 Packing group Ш

14.5 Environmental hazards No additional information available

14.6 Special precautions for user 14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to

CFR 49 173.15 Not applicable

EN (English) Page 6 of 8



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

### SECTION 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations

Section 313

**DSL** 

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.

CHEMICAL	CAS #	MAX WEIGHT %
Xylene	1330-20-7	3.0
1,2,4-Trimethylbenzene	95-63-6	15
Cumene	98-82-8	3.0
Ethylbenzene	100-41-4	0.6

TSCA All ingredients are listed or exempted

PROPOSITION 65 WARNING: NOT FOR SALE IN CALIFORNIA

15.1.3 Canada Regulations This SDS has been prepared according to the hazard criteria of the

Hazardous Products Regulation (HPR) (WHMIS 2015) and the SDS

contains all of the information required by the HPR.

All ingredients are listed or exempted

**15.2 Chemical safety assessment**A Chemical Safety Assessment has not been carried out.

#### Section 16. Other information

Date of issue / revision 9-25-2023
Version 2.0
Number 1020

Date of previous issue / revision

Preparer Nox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief. accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any

EN (English) Page 7 of 8



# **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015

hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

#### Full text of H and P phrases

- H226 Flammable liquid and vapor
- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer

Flam Liq. 3	H226
Acute Tox. 4 (oral)	H302
Asp. Tox. 1	H304
Skin Sens. 1	H317
Eye Irrit. 2	H319
STOT SE 3 resp. irrit.	H335
STOT SE 3 drowsiness	H336
Carc. 2	H351

- P201- Obtain special instructions before use.
- P202- Do not handle until all safety precautions have been read and understood.
- P210: Keep away from heat/sparks/open flames/hot surfaces-No smoking.
- P233- Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/light/.../equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash exposed area's thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P281- Use personal protective equipment as required
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P308+P313 IF exposed or concerned: Get medical advice/attention
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P331 Do NOT induce vomiting
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse.
- P370+P378 In case of fire: Use Dry chemical, foam, carbon dioxide for extinction.
- P405+P403+P235 Store locked up in a well-ventilated place. Keep cool.
- P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 8 of 8